



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels, Jr.

Governor

Thomas W. Easterly

Commissioner

100 North Senate Avenue

Indianapolis, Indiana 46204

(317) 232-8603

Toll Free (800) 451-6027

www.idem.IN.gov

September 15, 2010

Mr. Scott W. Schutte
Astbury Environmental Engineers
5757 West 74th Strret
Indianapolis, Indiana 46278

Dear Mr. Schutte:

Re: NPDES Permit No. ING080240
Former Blue & White Service, Inc.
10345 South SR 39
Clayton, Indiana, Hendricks County

This agency has reviewed your request of September 1, 2010, for voidance of the above-referenced permit. Due to the fact the discharge structure has been removed and the groundwater remediation is complete, a NPDES permit is no longer required.

Therefore, National Pollutant Discharge Elimination System Permit No. ING080240 issued September 15, 2006 is hereby revoked effective 18 days from the mailing date of this letter.

Any party adversely affected or aggrieved by this decision may appeal by filing a petition for administrative review with the Office of Environmental Adjudication (OEA) within eighteen (18) days after the date of mailing of this letter. Any appeal request must be filed in accordance with IC 4-21.5-3-7 and must include facts demonstrating that the party requesting appeal is the applicant, a person aggrieved or adversely affected by this voidance or otherwise entitled to review by law. Pursuant to IC 13-15-7-3, this decision shall remain in effect pending a decision on any appeal that has been timely requested under the provisions of IC 4-21.5. The address is:

Office of Environmental Adjudication
Indiana Government Center North
100 North Senate Avenue, Room 501
Indianapolis, IN 46204

You are reminded that any future discharge to waters of the state must be preceded by the submission of an NPDES application at least 180 days prior to the commencement of such discharge.

Mr. Scott W. Schutte
Page 2

If you have any questions regarding this matter, please contact Mr. Joe Gwinn of my staff at 317/ 233-8769.

Sincerely,

A handwritten signature in black ink, appearing to read "Paul Higginbotham", with a long, sweeping horizontal line extending to the right.

Paul Higginbotham, Chief
Permits Branch
Office of Water Quality

cc: Hendricks County Health Department

STATE OF INDIANA
DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

PUBLIC NOTICE NO. 2010 - 9D -GP

DATE OF NOTICE: September 15, 2010

The Office of Water Quality issues the following NPDES GENERAL PERMIT.

TERMINATION

BLUE & WHITE TRUCK SERVICE, Permit No. ING080240, HENDRICKS COUNTY, Clayton, IN. This permit is being terminated because there is no longer a discharge. Permit Writer: Joe Gwinn at 317/233-8769.

PROCEDURES TO APPEAL

General Permit documents are available for inspection at IDEM, Office of Water Quality/Permit Section, IGCN, 100 N Senate Ave, Indianapolis, IN, Room 1203, from 9 - 4, Monday-Friday (copies 10¢ per page). The General Permit is also available at the local Health Department. Please tell others you think would be interested in this matter.

Appeal Procedure: Any person affected by the issuance of the Final Permit may appeal by filing a Petition for Administrative Review with the Office of Environmental Adjudication within eighteen (18) days of the date of this Public Notice. Any appeal request must be filed in accordance with IC 4-21.5-3-7 and must include facts demonstrating that the party requesting appeal is the applicant; a person aggrieved or adversely affected or is otherwise entitled to review by law.

Timely filing: The Petition for Administrative Review must be received by the Office of Environmental Adjudication (OEA) within 18 days of the date of this Public Notice; either by U.S. Mail postmark or by private carrier with dated receipt. This Petition for Administrative Review represents a request for an Adjudicatory Hearing, therefore must:

- state the name and address of the person making the request;
- identify the interest of the person making the request;
- identify any persons represented by the person making the request;
- state specifically the reasons for the request;
- state specifically the issues proposed for consideration at the hearing;
- identify the Final Permit Rule terms and conditions which, in the judgment of the person making the request, would be appropriate to satisfy the requirements of the law governing this NPDES Permit rule.

If the person filing the Petition for Administrative Review desires any part of the NPDES Final Permit Rule to be stayed pending the outcome of the appeal, a Petition for Stay must be included in the appeal request, identifying those parts to be stayed. Both Petitions shall be mailed or delivered to the address here:
Phone: 317/232-8591.

Environmental Law Judge
Office of Environmental Adjudication
IGC - North Building- Rm 501
100 N. Senate Avenue
Indianapolis IN 46204

Stay Time frame: If the Petition (s) is filed within eighteen (18) days of the mailing of this Public Notice, the effective date of any part of the permit, within the scope of the Petition for Stay is suspended for fifteen (15) days. The Permit will become effective again upon expiration of the fifteen (15) days, unless or until an Environmental Law Judge stays the permit action in whole or in part.

Hearing Notification: Pursuant to Indiana Code, when a written request is submitted, the OEA will provide the petitioner or any person wanting notification, with the Notice of pre-hearing conferences, preliminary hearings, hearing stays or orders disposing of the Petition for Administrative Review. Petition for Administrative Review must be filed in compliance with the procedures and time frames outlined above. Procedural or scheduling questions should be directed to the OEA at the phone listed above.



ASTBURY
ENVIRONMENTAL ENGINEERING

IDEM
OFFICE OF
WATER QUALITY

2010 SEP -7 A 8:22

September 1, 2010

CORPORATE OFFICE

5757 West 74th Street

Indianapolis, IN 46278

phone 317.472.0999

fax 317.472.0993

toll free 877.683.8378

Indiana Department of Environmental Management
Office of Water Quality – Mail Code 65-42
Industrial NPDES Permits Section
100 North Senate Avenue
Indianapolis, Indiana 46204-2251
Attn: Ms. Sherri Owens

RE: ING080240
NPDES Permit Closure
Remediation System Discharge
Former Blue & White Service, Inc. - Clayton
AEE 296.05

Qidan
Dear Ms. Owens:

10345 South 5239

Astbury Environmental Engineering (AEE) is requesting that IDEM close the NPDES General Permit for the above referenced site. The discharge structure for this facility has been removed and the groundwater remediation is complete and the facility is awaiting an IDEM notification that the site is listed for No Further Action (NFA)

AEE will submit a final monthly discharge monitoring report for the month of August 2010. Should you have any questions regarding this submittal please feel free to contact this office.

Sincerely,
Astbury Environmental Engineering, Inc.

Scott W. Schutte

Scott W. Schutte
Senior Project Manager

INDIANAPOLIS

FT. WAYNE

EVANSVILLE

